

HIKVISION



نماینده رسمی هایک ویژن








www.hikvisiontehran.com

021-66765923 | 0990-6500079

Turbo HD Camera - DVR

Items	Description	User Price	
Turbo HD - 2MP			
DS-2CE16D0T-ITPF	<p>2 MP Fixed Mini Bullet Camera 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm, 6 mm fixed lens 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) Smart IR, up to 25 m IR distance IP67</p>	CALL	
DS-2CE16D0T-ITPFS	<p>2 MP Audio Fixed Mini Bullet Camera 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 25 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	CALL	






<p>DS-2CE16D0T-ITF</p>	<p>2 MP Fixed Mini Bullet Camera 2 MP bullet camera Smart IR: up to 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	<p>IRR 21,080,000</p>	
<p>DS-2CE16D0T-ITFS</p>	<p>2 MP Audio Fixed Mini Bullet Camera 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	<p>IRR 26,170,000</p>	
<p>DS-2CE16D0T-EXIF</p>	<p>2 MP Fixed Mini Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm fixed lens Up to 20 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	<p>CALL</p>	
<p>DS-2CE17D0T-IT1F</p>	<p>2 MP Fixed Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 30 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	<p>CALL</p>	
<p>DS-2CE17D0T-IT3F</p>	<p>2 MP Fixed Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	<p>IRR 34,410,000</p>	



DS-2CE16D0T-VFIR3F

2 MP Manual Varifocal Bullet Camera
2 MP varifocal bullet camera
2.8 mm to 12 mm varifocal lens
Up to 40 m IR distance for bright night imaging
Water and dust resistant (IP66)
One port for four switchable signals (TVI/AHD/CVI/CVBS)

CALL








<p>DS-2CE76D0T-ITPF</p>	<p>2 MP Indoor Fixed Turret Camera 2 MP turret camera EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	<p>CALL</p>	
<p>DS-76D0T-EXIPF</p>	<p>2 MP Indoor Fixed Turret Camera High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm fixed lens Up to 20 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS)</p>	<p>CALL</p>	
<p>DS-2CE76D0T-ITPFS</p>	<p>2 MP Audio Indoor Fixed Turret Camera 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	<p>CALL</p>	
<p>DS-2CE76D0T-ITMFS</p>	<p>2 MP Audio Fixed Turret Camera 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	<p>IRR 27,940,000</p>	
<p>DS-2CE76D0T-ITMF</p>	<p>2 MP Fixed Turret Camera 2 MP turret camera EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	<p>IRR 24,420,000</p>	

<p>DS-2CE78D0T-IT3FS</p>	<p>2 MP Audio Fixed Turret Camera 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	<p>CALL</p>	
<p>DS-2CE56D0T-VFIR3F</p>	<p>2MP Manual Varifocal Turret Camera 2 MP varifocal turret camera 2.8 mm to 12 mm varifocal lens Up to 40 m IR distance for bright night imaging Water and dust resistant (IP67) Transmits both HD video and power over the same coaxial cable</p>	<p>IRR 47,890,000</p>	

Turbo HD - 2MP - ColorVu





<p>DS-2CE70DF3T-PF Colorvu</p>	<p>2 MP ColorVu Fixed Turret Camera High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 20 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS)</p>	<p>IRR 35,270,000</p>	
<p>DS-2CE72DF3T-F ColorVu</p>	<p>2 MP ColorVu Fixed Turret Camera High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 40 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	<p>IRR 37,750,000</p>	
<p>DS-2CE10DF0T-F ColorVu</p>	<p>2 MP ColorVu Fixed Mini Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 20 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	<p>CALL</p>	
<p>DS-2CE10DF3T-F Colorvu</p>	<p>2 MP ColorVu Fixed Mini Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 20 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	<p>CALL</p>	






<p>DS-2CE12DF3T-F Colorvu</p>	<p>2 MP ColorVu Fixed Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 40 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	<p>IRR 49,720,000</p>	
<p>DS-2CE10DF3T-FS Colorvu</p>	<p>2 MP ColorVu Audio Fixed Mini Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm fixed focal lens Up to 20 m white light distance for bright night imaging High quality audio with audio over coaxial cable, built-in mic One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	<p>IRR 50,610,000</p>	
<p>DS-2CE12DF3T-FS Colorvu</p>	<p>2 MP ColorVu Audio Fixed Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 40 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67) High quality audio with audio over coaxial cable, built-in mic</p>	<p>IRR 56,940,000</p>	
<p>DS-2CE70DF0T-PF ColorVu</p>	<p>2 MP ColorVu Indoor Fixed Turret Camera High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 20 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS)</p>	<p>CALL</p>	
<p>DS-2CE72DFT-FC Colorvu</p>	<p>2 MP ColorVu Fixed Turret Camera 2 MP full time color turret camera 24/7 full color imaging Warm supplemental light with 20 m range Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	<p>CALL</p>	






Turbo HD - 2MP - Ultra Low Light Series




<p>DS-2CE76D3T-ITPF</p>	<p>2 MP Ultra Low Light Indoor Fixed Turret Camera 2 MP turret camera Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 30 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	<p>CALL</p>	
<p>DS-2CE76D3T-ITMF</p>	<p>2 MP Ultra Low Light Fixed Turret Camera 2 MP turret camera Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	<p>IRR 35,420,000</p>	
<p>DS-2CE16D3T-ITF</p>	<p>2 MP Ultra Low Light Fixed Mini Bullet Camera 2 MP bullet camera Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	<p>CALL</p>	
<p>DS-2CE16D3T-IT3F</p>	<p>2 MP Ultra Low Light Fixed Bullet Camera 2 MP bullet camera Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 50 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	<p>IRR 33,030,000</p>	

Turbo HD - 5MP




<p>DS-2CE16H0T-ITF</p>	<p>5 MP Fixed Mini Bullet Camera 5 MP bullet camera EXIR 2.0: advanced infrared technology with 20 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	<p>CALL</p>	
<p>DS-2CE16H0T-ITPF</p>	<p>5 MP Fixed Mini Bullet Camera 5 MP bullet camera EXIR 2.0: advanced infrared technology with 25 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	<p>CALL</p>	
<p>DS-2CE16H0T-ITFS</p>	<p>5 MP Audio Fixed Mini Bullet Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 30 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS)</p>	<p>CALL</p>	
<p>DS-2CE16H0T-ITPFS</p>	<p>5 MP Audio Fixed Mini Bullet Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 25 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67</p>	<p>CALL</p>	

<p>DS-2CE17H0T-IT1F</p>	<p>5 MP Fixed Bullet Camera High quality imaging with 5 MP, 2560 × 1944 resolution 2.4 mm, 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 30 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	<p>CALL</p>	
<p>DS-2CE17H0T-IT3FS</p>	<p>5 MP Audio Fixed Bullet Camera High quality imaging with 5 MP, 2560 × 1944 resolution 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67) High quality audio with audio over coaxial cable, built-in mic</p>	<p>IRR 44,250,000</p>	
<p>DS-2CE17H0T-IT3F</p>	<p>5 MP Fixed Bullet Camera High quality imaging with 5 MP, 2560 × 1944 resolution 2.8 mm, 3.6 mm, 6 mm, 8mm, 12mm fixed focal lens Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	<p>IRR 35,800,000</p>	
<p>DS-2CE17H0T-IT5F</p>	<p>5 MP Fixed Bullet Camera High quality imaging with 5 MP, 2560 × 1944 resolution 3.6 mm, 6 mm, 8 mm, 12 mm fixed focal lens Up to 80 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	<p>CALL</p>	
<p>DS-2CE16H0T-IT3ZF</p>	<p>5 MP Motorized Varifocal Bullet Camera 5 MP bullet camera 2.7 mm to 13.5 mm motorized varifocal lens Up to 40 m IR distance for bright night imaging Water and dust resistant (IP67) One port for four switchable signals (TVI/AHD/CVI/CVBS)</p>	<p>CALL</p>	


DS-2CE76H0T-ITMF	<p>5 MP Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 31,840,000	
DS-2CE76H0T-ITMFS	<p>5 MP Audio Fixed Turret Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 30 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67</p>	CALL	
DS-2CE76H0T-ITPF	<p>5 MP Indoor Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	CALL	
DS-2CE76H0T-ITPFS	<p>5 MP Audio Indoor Fixed Turret Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 20 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS)</p>	CALL	
DS-2CE78H0T-IT1F	<p>5 MP Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 35,440,000	

<p>DS-2CE78H0T-IT3F</p>	<p>5 MP Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	<p>CALL</p>	
<p>DS-2CE78H0T-IT3FS</p>	<p>5 MP Audio Fixed Turret Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 40 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67</p>	<p>IRR 37,790,000</p>	
<p>DS-2CE79H0T-IT3ZF</p>	<p>5 MP Motorized Varifocal Turret Camera High quality imaging with 5 MP, 2560 × 1944 resolution 2.7 mm to 13.5 mm motorized varifocal lens Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	<p>IRR 68,010,000</p>	




Turbo HD - 5MP - ColorVu

<p>DS-2CE10HFT-F28 ColorVu</p>	<p>5 MP ColorVu Fixed Mini Bullet Camera 5 MP full time color bullet camera 24/7 full color imaging Warm supplemental light with 20 m range Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	<p>CALL</p>	
<p>DS-2CE12HFT-F28 ColorVu</p>	<p>5 MP ColorVu Fixed Bullet Camera 5 MP full time color bullet camera 24/7 full color imaging Warm supplemental light with 40 m range Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	<p>CALL</p>	
<p>DS-72HFT-F28 ColorVu</p>	<p>5 MP ColorVu Fixed Turret Camera 5 MP full time color turret camera 24/7 full color imaging 2.8 mm fixed focal lens Warm supplemental light with 20 m range Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	<p>IRR 59,660,000</p>	

Turbo HD - 6MP - ColorVu






<p>DS-72KF0T-FS ColorVu</p>	<p>3K ColorVu Audio Fixed Turret Camera High quality imaging with 3K, 2960 × 1665 resolution 24/7 color imaging with F1.0 aperture 2.8 mm and 3.6 mm fixed focal lens Up to 40 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67) High quality audio with audio over coaxial cable, built-in mic</p>	<p>IRR 55,560,000</p>	
------------------------------------	--	------------------------------	---



Turbo HD - 8MP





<p>DS-2CE78U8T-IT3</p>	<p>4K Fixed Turret Camera 8 MP high performance turret camera Strong night performance, capturing images in ultra-low light down to 0.003 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 60 m IR distance Water and dust resistant (IP67) Dual outputs (HDTVl and CVBS signals output simultaneously)</p>	<p>IRR 90,360,000</p>	
<p>DS-2CE18U8T-IT3</p>	<p>4K Fixed Bullet Camera 8 MP high performance bullet camera Strong night performance, capturing images in ultra-low light down to 0.003 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 60 m IR distance Water and dust resistant (IP67) Dual outputs (HDTVl and CVBS signals output simultaneously)</p>	<p>CALL</p>	
<p>Turbo HD PTZ Camera</p>			
<p>DS-2AE4225TI-D</p>	<p>4-inch 2 MP 25X Powered by DarkFighter IR Analog Speed Dome High quality imaging with 2 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Clear imaging against strong back lighting due to 120 dB WDR technology Pan and tilt ability enables camera to monitor zones of interest 25 × optical zoom allows for closer viewing of subjects in expansive areas Up to 100 m IR range ensures safety at night Water and dust resistant (IP66)</p>	<p>IRR 268,170,000</p>	






Turbo HD DVR 1080p / 3MP / 4MP lite




<p>DS-7208HGHI-F1</p>	<p>8-ch 1080p Lite 1U H.264 DVR 8 channels and 1 HDD 1U DVR H.264+ / H.264 video compression Encoding ability up to 1080p lite @ 25/30 fps 5 signals input adaptively (HDTV/ AHD/ CVI/ CVBS/ IP) Up to 10 network cameras can be connected</p>	<p>CALL</p>	
<p>DS-7216HGHI-K1</p>	<p>16-ch 1080p Lite 1U H.265 DVR Deep learning based human and vehicle targets classification of Motion Detection 2.0 H.265 Pro+/H.265 Pro/H.265 video compression HDTV/ AHD/ CVI/ CVBS/ IP video input Audio via coaxial cable Up to 18-ch IP camera inputs (up to 5 MP) Up to 1080p Lite@15 fps encoding capability Max. 1200 m for 720p HDTV signal</p>	<p>IRR 74,770,000</p>	
<p>DS-7204HQHI-K1</p>	<p>4-ch 1080p 1U H.265 DVR 4 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTV/ AHD/ CVI/ CVBS/ IP) Up to 6 network cameras can be connected</p>	<p>CALL</p>	
<p>DS-7208HQHI-K1</p>	<p>8-ch 1080p 1U H.265 DVR 8 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTV/ AHD/ CVI/ CVBS/ IP) Up to 12 network cameras can be connected</p>	<p>CALL</p>	

<p>DS-7216HQHI-K1</p>	<p>16-ch 1080p 1U H.265 DVR 16 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTV/AVHD/CVI/AVBS/IP) Up to 24 network cameras can be connected</p>	<p>CALL</p>	
<p>DS-7216HQHI-K2</p>	<p>16-ch 1080p 1U H.265 DVR 16 channels and 2 HDDs 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTV/AVHD/CVI/AVBS/IP) Up to 24 network cameras can be connected</p>	<p>CALL</p>	
<p>DS-7232HQHI-K2</p>	<p>32-ch 1080p 1U H.265 DVR 32 channels and 2 HDDs 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTV/AVHD/CVI/AVBS/IP) Up to 40 network cameras can be connected</p>	<p>CALL</p>	
<p>IDS-7204HQHI-M1/S</p>	<p>4-ch 1080p 1U H.265 AcuSense DVR 4 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTV/AVHD/CVI/AVBS/IP) Up to 6 network cameras can be connected.</p>	<p>IRR 67,180,000</p>	
<p>IDS-7208HQHI-M1/S</p>	<p>8-ch 1080p 1U H.265 AcuSense DVR 8 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTV/AVHD/CVI/AVBS/IP) Up to 12 network cameras can be connected.</p>	<p>CALL</p>	

<p>IDS-7216HQHI-M1/S</p>	<p>16-ch 1080p 1U H.265 AcuSense DVR 16 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTV/AVHD/CVI/CVBS/IP) Up to 24 network cameras can be connected.</p>	<p>CALL</p>	
<p>IDS-7216HQHI-M2/S</p>	<p>16-ch 1080p 1U H.265 AcuSense DVR 16 channels and 2 HDDs 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTV/AVHD/CVI/CVBS/IP) Up to 8 network cameras can be connected</p>	<p>IRR 221,720,000</p>	
<p>IDS-7232HQHI-M2/S</p>	<p>32-ch 1080p 1U H.265 AcuSense DVR Deep learning-based motion detection 2.0 for all analog channels Deep learning-based perimeter protection Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTV/AVHD/CVI/CVBS/IP) Up to 40 network cameras can be connected</p>	<p>IRR 346,000,000</p>	
<p>IDS-7216HQHI-M1/E</p>	<p>16-ch 1080p 1U H.265 AcuSense DVR Deep learning based human and vehicle targets classification of Motion Detection 2.0 Deep learning-based perimeter protection H.265 Pro+/H.265 Pro/H.265 video compression HDTV/AVHD/CVI/CVBS/IP video inputs Audio via coaxial cable Up to 24-ch IP camera inputs (up to 6 MP) Encoding ability up to 3K/5M Lite @ 12 fps</p>	<p>IRR 150,720,000</p>	
<p>IDS-7216HQHI-M1/XT</p>	<p>16-ch 1080p 1U H.265 AcuSense DVR 16 channels and 1 HDD 1U AcuSense DVR Support 4-ch Facial Recognition or 8-ch advanced model Perimeter Protection based on Deep Learning algorithm Support 8-ch AcuSearch Technology Efficient H.265 pro+ compression technology Encoding ability up to 3K/5MP Lite@12fps Up to 24-ch IP camera inputs, each channel up to 6MP Up to 24*1080P@30fps decoding ability 5 signals input adaptively (HDTV/AVHD/CVI/CVBS/IP) Support All channels Motion Detection Technology</p>	<p>IRR 169,190,000</p>	

<p>IDS-7216HQHI-M2/XT</p>	<p>16-ch 1080p 1U H.265 AcuSense DVR 16 channels and 2 HDD 1U AcuSense DVR Support 4-ch Facial Recognition or 8-ch advanced model Perimeter Protection based on Deep Learning algorithm Support 8-ch AcuSearch Technology Efficient H.265 pro+ compression technology Encoding ability up to 3K/5MP Lite@12fps Up to 24 channels IP camera inputs, each channel up to 6MP Up to 24*1080P@30fps decoding ability 5 signals input adaptively (HDTV/1080P/CVI/CVBS/IP) Support All channels Motion Detection Technology</p>	<p>IRR 196,190,000</p>	
<p>IDS-7208HQHI-M1/XT</p>	<p>8-ch 1080p 1U H.265 AcuSense DVR 8 channels and 1 HDD 1U AcuSense DVR Support 2-ch Facial Recognition or 4-ch advanced model Perimeter Protection based on Deep Learning algorithm Support 4-ch AcuSearch Technology Efficient H.265 pro+ compression technology Encoding ability up to 3K/5M Lite @ 12 fps 5 signals input adaptively (HDTV/1080P/CVI/CVBS/IP) Up to 12 -ch network cameras can be connected Support All channels Motion Detection Technology Support All channels HDTV Two-Way Audio Technology</p>	<p>IRR 92,240,000</p>	
<p>Turbo HD DVR 1080p / 3MP / 4MP / 5MP / 8MP lite</p>			
<p>DS-7204HUHI-K1</p>	<p>4-ch 5 MP 1U H.265 DVR 4 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 8 MP lite @ 15 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTV/1080P/CVI/CVBS/IP) Up to 8 network cameras can be connected.</p>	<p>IRR 97,240,000</p>	
<p>DS-7208HUHI-K1</p>	<p>8-ch 5 MP 1U H.265 DVR 8 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTV/1080P/CVI/CVBS/IP) Up to 16 network cameras can be connected</p>	<p>CALL</p>	

<p>DS-7216HUHI-K2</p>	<p>16-ch 5 MP 1U H.265 DVR 16 channels and 2 HDDs 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 32 network cameras can be connected</p>	<p>IRR 314,110,000</p>	
<p>IDS-7204HUHI-M1/S</p>	<p>4-ch 5 MP 1U H.265 AcuSense DVR 4 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP lite @ 15 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected.</p>	<p>IRR 102,450,000</p>	
<p>DS-7208HUHI-M1/S</p>	<p>8-ch 5 MP 1U H.265 AcuSense DVR 8 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 16 network cameras can be connected.</p>	<p>IRR 178,970,000</p>	
<p>DS-7216HUHI-M2/S</p>	<p>16-ch 5 MP 1U H.265 AcuSense DVR Deep learning-based motion detection 2.0 for all analog channels Deep learning-based perimeter protection Efficient H.265 pro+ compression technology Up to 8 MP@8 fps/5 MP@12 fps encoding capability HDTVI/AHD/CVI/CVBS/IP video inputs Up to 32-ch IP camera inputs (up to 8 MP)</p>	<p>IRR 332,420,000</p>	
<p>IDS-7204HUHI-M1/E</p>	<p>4-ch 5MP 1U H.265 AcuSense DVR Deep learning based human and vehicle targets classification of Motion Detection 2.0 Deep learning-based perimeter protection H.265 Pro+/H.265 Pro/H.265 video compression HDTVI/AHD/CVI/CVBS/IP video inputs Audio via coaxial cable Up to 6-ch IP camera inputs (up to 8 MP) Up to 8 MP@8 fps encoding capability</p>	<p>IRR 82,530,000</p>	

DS-7316HUHI-F4/N		CALL	
Turbo HD DVR 1080p / 3MP / 4MP / 5MP / 8MP lite (Built in PoC Series)			
DS-7204HUHI-K1/P	<p>4-ch 5 MP 1U H.265 PoC DVR 4 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 5 MP @ 12 fps 5 signals input adaptively (HDTV/ AHD/ CVI/ CVBS/ IP) Up to 8 network cameras can be connected Transmits both HDTV video and power over the same coaxial cable</p>	IRR 92,270,000	
DS-7208HUHI-K2/P	<p>8-ch 5 MP 1U H.265 PoC DVR 8 channels and 2 HDDs 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTV/ AHD/ CVI/ CVBS/ IP) Up to 16 network cameras can be connected Transmits both HDTV video and power over the same coaxial cable</p>	CALL	
Turbo HD DVR 1080p / 3MP / 4MP / 5MP / 8MP			
DS-7204HTHI-M1/S	<p>4-ch 4K 1U H.265 AcuSense DVR 4 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 15 fps 5 signals input adaptively (HDTV/ AHD/ CVI/ CVBS/ IP) Up to 8 network cameras can be connected.</p>	CALL	